

## CODE STRUCTURE

### ICD-9-CM CODE FORMAT




3 TO 5 CHARACTERS  
 FIRST DIGIT IS NUMERIC OR E OR V  
 ALL OTHER DIGITS ARE NUMERIC

### ICD-10-CM CODE FORMAT



3 TO 5 CHARACTERS  
 FIRST DIGIT IS ALPHA  
 ALL DIGITS EXCEPT SECOND ALPHA OR NUMERIC

## NUMBER OF CODES



# Radiology ICD-10 Documentation Guidance

## ICD-10 HISTORY



- **The following information was abstracted from a blinded sampling of various Radiology services.**
- **The diagnosis code and description on the left side is the ICD-9 code utilized and the columns indicated by code, as well as the Documentation Suggestions is the information needed to accurately and specifically code for ICD-10.**
- **Lastly, this information contains a description of the column language to clarify the meaning used within the nomenclature of the ICD-10 code set.**

ICD-9 Diagnosis	ICD-9 Description	Documentation Issues								
		Laterality	Episode of Care	Acute/ Chronic	Anatomical Site Specificity	Patient History	Injury How / What	Trimester	ICD-10	Documentation Suggestions
218.9	Leiomyoma of uterus unspecified				X				D25.9	<ul style="list-style-type: none"> <li>Submucous</li> <li>Intramural</li> <li>Subserosal</li> </ul>
368.8	Other specified visual disturbances					X			H53.8	Symptom category includes glare sensitivity and impaired contrast sensitivity
432.1	Subdural hemorrhage			X	X	X	X		I62.00	Non traumatic v. traumatic
437.1	Other generalized ischemic cerebrovascular disease			X	X				I67.82	<ul style="list-style-type: none"> <li>Insufficiency</li> <li>Ischemia</li> <li>Other</li> </ul>
646.83	Other specified complications of pregnancy, antepartum condition or complication					X		X	O26.891	Type of complication needed (low weight gain, pregnancy related exhaustions, etc.)
719.41	Pain in joint involving shoulder region	X			X				M25.511	Specific code assigned to each joint
722.10	Displacement of lumbar intervertebral disc without myelopathy				X				M51.26+M51.27	<ul style="list-style-type: none"> <li>Lumbar</li> <li>Lumbosacral</li> </ul>
721.3	Lumbosacral spondylosis without myelopathy				X				M47.816+M47.817	Presence of radiculopathy is helpful
729.5	Pain in limb	X			X				M79.621	
780.09	Alteration of consciousness other					X			<b>Send-back if only diagnosis.</b>	Somnolence vs stupor
784.0	Headache			X		X Post-traumatic: Allergies :Medications			R51	Description (cluster, tension, vascular) duration and frequency
782.2	Localized superficial swelling mass or lump	X			X				R22.9	
789.00	Abdominal pain	X			X Upper/lower quadrant Pelvic of perineal Epigastric Periumbilical				R10.9	Tenderness, generalized, severe w/abdominal rigidity.
996.73	Other complications due to renal dialysis device implant and graft		X		X				T82.868D+T82.858D	Type of complication needed (embolism, fibrosis, etc.)
V45.11	Renal dialysis status					X			Z99.2	Documentation of renal dialysis dependence
V76.12	Other screening mammogram					X			Z12.31	Routine screening vs diagnostic (presenting w/symptoms): Inconclusive mammogram

**Laterality:** Include Left, Right, Bilateral, Unilateral

**Episode of Care:** Identify initial, subsequent or sequelae (Late Effect) visit. For Fractures, include whether fracture is open/closed, whether healing process is routine or with complications such as delayed healing, nonunion, malunion. Gustilo Open Fracture classifications include designation of Type I, Type II, Type III

**Acute/Chronic:** Identify acute/chronic nature. More specificity for Postoperative, neoplasm related, Post thoracotomy

**Anatomical Site Specificity: Identify specific area:**

Chest: Wall,

Location within the Vessel

Limb: Specific area on the limb

Location within the anatomical structure

Abdominal

**Patient History:** Medical history that provides additional context.

**Injury How / What:** Include how the injury happened, and what activity the patient was doing when the injury occurred.

**Pregnancy:** Trimester of pregnancy or identification of specific fetus.

**Other:**